


VOXWARE

Web Conferencing

This is the front page, which includes a place to send messages to everyone currently on the server



The screenshot shows a Windows-style application window titled "Chat Manager". The window has a blue title bar with standard minimize, maximize, and close buttons. Below the title bar is a blue header area with the text "Server Status".

The main content area is light beige and contains the following elements:

- A logo on the left consisting of the letters "GM" in a stylized, blue, 3D font.
- Two lines of text: "Chat Manager 3.0.21 prodid:1" and "Chat Server 3.2.20 lver:5 prodid:1".
- A "Help" button in the top right corner.
- Four data fields with labels and input boxes:
 - "Total Active Users in All Rooms:" followed by an empty input box.
 - "Total Active Rooms:" followed by an empty input box.
 - "Number of Configured Users:" followed by an empty input box.
 - "Number of Configured Rooms:" followed by an empty input box.
- "Last Started" followed by an input box containing the date "01/28/07".
- A long white input field at the bottom for sending a message, followed by a "Send Message" button.

These are the different panels within the CM

Chat Manager



Status



License



Rooms



Users



Performance



Logging



System

This is the Rooms panel, which shows individual room parameters, and you can create rooms here too

Chat Manager [Minimize] [Maximize] [Close]

Room Configuration

000
000
000
000
000
000
000
000
000
000

Room / GUI | Voice | Text | Collaboration

Room Name: Room Enabled

Password: Disable Room Manually

of Users: 3/25/2007

Template Room User Logon Session Recording 1:06:26 PM

Dictionary File Config URL

GUI

Client Window Title

Logo URL Layout

Welcome Message window=""



Room Configuration

000
000
000
000
000
000
000
000
000
000
000

Add / Update

Delete

Room / GUI Voice Text Collaboration

Allow File Transfer to 1 user

Web Sync Disallowed

Presentation Share Disallowed

System/Moderator News

Application Share Disallowed

Moderator Only WhiteBoard

0 Disk Space
(MB)750 Refresh
ms

Moderator Highlight Color



Chose Color


Starting Web Page

Allow Browsing

www.yourpaehere.com

 Allow User File Transfer Allow User Web Sync Allow Users To Navigate
Presentations Allow User Home Page

This is the user list. Shows the room number and name they enter with, the version of product they are using, the IP address of user, the milisecond delay of user's connection, Buffer delay, and the PC footprint (used to ban with).



The screenshot shows a window titled "Chat Manager" with a "User Configuration" section. Under "Active Users", there is a table listing user details. A large black 'X' is drawn over the table, indicating that the data is obscured or redacted.

Room/Alias	Version	IP Address	ms Delay	Buffer	Key
45\4wELfischer	1.3.8.9	21 2.11 3	47	0	F6 0D141 3D32 72
45\mitch4djy	1.3.8.6	24 223	39	0	8C 09DAE 9F35 510
40\fadi	1.3.8.6	58 174	141	0	69 09D1E 3AC2 320
40\gago	1.3.8.11	19 3.24 7	633	0	BC 0A46C 0DC0 F2
40\george	1.3.8.11	89 79	195	0	72 0582D 75571 24
40\kreem	1.3.8.11	20 1.7E	28	0	AC 030AF 04C0 BC
40\mara7	1.3.8.11	83 001	62	0	EC 092CF 02CC 5E
40\nameer	1.3.8.11	19 0.24 2	203	0	D2 04ABC 0F73D 1F7
40\nashmi	1.3.8.9	62 02E	414	0	37 090BE 0E26E 00!
40\sRoR	1.3.8.6	62 1.4	179	0	9A 0A0DE 0F556 01
40\whbei	1.3.8.11	62 95	93	0	7A 0067E 022D 77
40\	1.3.8.9	90 197	430	0	CF 0DC2F 03217 3D
40\	1.3.8.11	27 .1	148	0	6C 0FBC9 063FC BA
40\	1.3.8.9	70 59.	39	0	2E 057C6 07BD 02